

Index of Authors

with the titles of papers

- ALAMICHEL, C., *see* Ben Sari-Zizi, N.
 ALLNATT, A. R.: Corrected expression for the heat of transport, 781
 ALONSO, J. L., *see* López, J. C.
 ANDREANI, C., COLOGNESI, D., FILABOZZI, A., and MENZINGER, F.: An X-ray diffraction study of liquid chlorine, 1181
 ASMUSSEN, B., *see* Schröder-Heber, A.
 BAGLIN, F. G., *see* Wright, M.
 BAHNMAIER, A. H., ENGST, T., JONES, H., and COLSON, S. D.: Rotationally resolved spectroscopy of the $\tilde{C} - \tilde{X}$ band of $^{15}\text{NH}_3$ by infrared-ultraviolet double resonance, 1203
 BALLIK, J. M. L., *see* Lee, W. Y.
 BARNHOORN, J. B. S., and DE LANGE, C. A.: An *ab initio* study of molecular hydrogen and its deuterated analogues partially oriented in nematic liquid crystals, 651
 BATCHELOR, S. N., KAY, C. W. M., McLAUGHLAN, K. A., SMITH, P. D., and YEUNG, M. T.: The photochemistry of propanone and its derivatives as studied using flash-photolysis ESR; electron spin polarization (CIDEP) in radical products, 325
 BELOSLUDOV, R. V., IGUMENOV, I. K., BELOSLUDOV, V. R., and SHPAKOV, V. P.: Dynamical and thermodynamical properties of the acetylacetones of copper, aluminium, indium, and rhodium, 51
 BELOSLUDOV, V. R., *see* Belosludov, R. V.
 BEN SARI-ZIZI, N., and ALAMICHEL, C.: Fourier transform high resolution study of the $3\nu_2$, $2\nu_2 + \nu_5$, $\nu_2 + 2\nu_3^0$ and $3\nu_3^{\pm 1}$ rovibrational bands of $\text{CH}_3^{79}\text{Br}$ from 3830 cm^{-1} to 4300 cm^{-1} , 1259
 BENT, G. D., RASAMNY, M., and HALL, T.: Quantum chemistry and density functional calculations of formyl chloride, 825
 BERENDSEN, H. J. C., *see* Mavri, J.
 BERGNER, A., *see* Steinbrenner, U.
 BERMEJO, F. J., *see* Criado, A.
 BLANK, H., *see* Schröder-Heber, A.
 BODDENBERG, B., *see* Schimiczek, B.
 BÖHMER, R., GIEBENHAIN, U., and LOIDL, A.: Dielectric study of partially isotope-substituted solid and liquid hydrogen and methane, 531
 BORYSOW, A., and MORALDI, M.: On the symmetrization of rotational spectra for freely rotating linear molecules, 1277
 BREEST, A., OCHMANN, P., PULM, F., GÖDDERZ, K. H., CARNELL, M., and HORMES, J.: Experimental circular dichroism and VUV spectra of substituted oxiranes and thiiranes, 539
 BRÓDKA, A.: Diffusion in restricted volume, 1075
 BUENKER, R. J., *see* Leonardi, E.
 BUONTEMPO, U., *see* Filabozzi, A.
 CARNELL, M., *see* Breest, A.
 CARTAILLER, T., *see* Rossy-Delluc, S.
 CHAPUISAT, X., and NAUTS, A.: Overall rotation along a reaction path, 1131
 CHEN, A., and HIRTZEL, C. S.: Macro state Markov chain model for computer simulation of grand canonical ensemble, 263
 CHEREPANOVA, T. A., and STEKOLNIKOV, A. V.: Molecular structure of thin surfactant films at the liquid-vapour interface, 125
 COLOGNESI, D., *see* Andreani, C.
 COLSON, S. D., *see* Bahnmaier, A. H.

- COULING, V. W., and GRAHAM, C.: Measurement and interpretation of the second light-scattering virial coefficients of linear and quasi-linear molecules, 235
- CRiado, A., BERMEJO, F. J., DE ANDRES, A., and MARTINEZ, J. L.: Microscopic dynamics of *ortho*-terphenyl in its polycrystalline and glassy forms, 787
- DE ANDRES, A., *see* Criado, A.
- DE LANGE, C. A., *see* Barnhoorn, J. B. S.
- DELAPLANE, R., *see* Filabozzi, A.
- DICKINSON, A. S., and LUI, W.-K.: Classical centrifugal-sudden calculations of transport and relaxation cross-sections for Ar-N₂, 629
- DICKMAN, R., *see* Yethiraj, A.
- DÍEZ, E., *see* San-Fabián, J.
- DOLG, M., *see* Steinbrenner, U.
- DOUGHERTY, J., and SPACKMAN, M. A.: Accurate prediction of static dipole polarizabilities with moderately sized basis sets. Molecules containing p-block atoms from boron to iodine, 193
- DYKE, J. M., *see* Lee, E. P. F.
- EGGENBERGER, R., GERBER, S., HUBER, H., and WELKER, M.: A new *ab initio* potential for the neon dimer and its application in molecular dynamics simulations of the condensed phase, 689
- ELLIS, W. J.: Inhomogeneous correlation functions for a planar membrane model neuron, 973
- EMERSON, A. P. J., LUCKHURST, G. R., and WHATLING, S. G.: Computer simulation studies of anisotropic systems. XXIII. The Gay-Berne discogen, 113
- EMSLEY, J. W., *see* Palke, W. E.
- ENGST, T., *see* Bahnmaier, A. H.
- ENO, L.: The use of the energy sudden approximation in the *m*-scaling of rotational cross-sections, 929
- ESTEBAN, A. L., and GALACHE, M. P.: Proton and carbon-13 NMR study of partially oriented 1,4-dioxane. Determination of the *r*₃ structure and of bond contributions to the orientation, 303
- ESTEBAN, A. L., *see* San-Fabián, J.
- FARANTOS, S. C., *see* Prosimiti, R.
- FILABOZZI, A., BUONTEMPO, U., DELAPLANE, R., and RICCI, F. P.: A new precise determination of the liquid bromine structure by means of neutron diffraction, 427
- FILABOZZI, A., *see* Andreani, C.
- FORREST, B. M., and SUTER, U. W.: Generalized coordinate hybrid Monte Carlo, 393
- FOWLER, P. W., KELLY, H. M., and VAIDEHI, N.: A model for multipole polarizabilities and dispersion coefficients, 211
- FRANÇOIS, J.-P., *see* Martin, J. M. L.
- FRANCISCO, J. S.: An *ab initio* calculation of the energetics for the FO + HCl → HOF + Cl reaction, 831
- FRENKING, G., *see* Yamaguchi, Y.
- FUKUNAGA, T., *see* Miyamoto, Y.
- GALACHE, M. P., *see* Esteban, A. L.
- GARCIA-SUCRE, M., *see* Squitieri, E.
- GARZÓN, B., *see* Vega, C.
- GEERTSEN, J., ODDERSHEDE, J., RAYNES, W. T., and MARVIN, T. L.: Accurate *ab initio* carbon-proton and proton-proton spin-spin coupling surfaces for the methane molecule, 29
- GERBER, S., *see* Eggenberger, R.
- GIEBENHAIN, U., *see* Böhmer, R.
- GIES, H., *see* Schröder-Heber, A.
- GUBELS, R., *see* Martin, J. M. L.
- GÖDDERZ, H., *see* Breest, A.
- GRAHAM, C., *see* Couling, V. W.
- GREGORY, V. P., and SCHUG, J. C.: *NPT* Monte Carlo calculation of isotherms for the Lennard-Jones fluid, 677
- GRETH, R., *see* Schimiczek, B.

- GUARNIERI, A., *see* López, J. C.
GUILLEME, J., *see* San-Fabián, J.
- HAFSKJOLD, B., *see* Kincaid, J. M.
HALL, T., *see* Bent, G. D.
HAN, J., and HERZFELD, J.: The freezing transition of bidisperse hard spheres: a simple model, 617
HAYASHI, H., *see* Igarashi, M.
HENDERSON, J. R., and SABEUR, Z. A.: Instability of the liquid state at high density: a detailed numerical analysis, 765
HENDERSON, J. R., *see* Rector, D. R.
HERZFELD, J., *see* Han, J.
HILLS, B. P., and LE FLOCH, G.: NMR studies of non-freezing water in randomly packed beds of porous particles, 751
HIRSCH, G., *see* Leonardi, E.
HIRST, D. M.: Excited states of the CN^+ ion: an *ab initio* study, 359
HIRTZEL, C. S., *see* Chen, A.
HOFFMAN, G. G., and PRATT, L. R.: Comparison of electron density functional models, 245
HORMES, J., *see* Breest, A.
HUBER, H., *see* Eggenberger, R.
- IGARASHI, M., SAKAGUCHI, Y., and HAYASHI, H.: Magnetic field effects on the photochemical hydrogen abstraction of 2',3',4',5',6'-pentafluoroacetophenone in a Brij 35 micellar solution, 1165
IGUMENOV, I. K., *see* Belosludov, R. V.
- JACKSON, G., *see* Sear, R. P.
JANSSEN, G. J. M., *see* Tissen, J. T. W. M.
JENKINS, J. K., SALAM, A., and THIRUNAMACHANDRAN, T.: Discriminatory dispersion interactions between chiral molecules, 835
JI, J., and PETTITT, B. M.: Phase transitions of water at constant excess chemical potential. An application of grand molecular dynamics, 67
JOKISAARI, J., *see* Vaara, J.
JONES, H., *see* Bahnmaier, A. H.
- KAPUY, E., *see* Kozmutza, C.
KAY, C. W. M., *see* Batchelor, S. N.
KELLY, H. M., *see* Fowler, P. W.
KESHARI, V., *see* Leonardi, E.
KIERLIK, E., *see* Yethiraj, A.
KINCAID, J. M., and HAFSKJOLD, B.: Thermal diffusion factors for the Lennard-Jones/spline system, 1099
KLIMKO, G., *see* Mestechkin, M.
KOZMUTZA, C., KAPUY, E., and TIRST, E.: Decomposition of the interaction correlation energy in terms of localized orbital contributions, 343
- LAAKSONEN, A., *see* Lyubartsev, A. P.
LAAKSONEN, A., *see* Odelius, M.
LAGO, S., *see* Vega, C.
LATANOWICZ, L., and PAJAK, Z.: NMR relaxation and molecular reorientation over unequal potential barriers, 1187
LAUNILA, O., and ROYEN, P.: Spectroscopy of BaBr. Rotational analysis of the $A^2\Pi-X^2\Sigma^+$ and $B^2\Sigma^+ - X^2\Sigma^+$ transitions of the $^{138}\text{Ba}^{81}\text{Br}$ isotopomer, 815
LAZZERETTI, P., *see* San-Fabián, J.
LE FLOCH, G., *see* Hills, B. P.
LEE, E. P. F., WRIGHT, T. G., and DYKE, J. M.: Calculated dissociation energies of the alkali metal monoxides NaO and KO. Basis set superposition error and symmetry lowering (Erratum), 1281
LEE, W. Y., XIA, Z. M., and BALLIK, E. A.: Formation of the XeCl exiplex via double crossings of potential-energy curves, 165

- LENSINK, M., *see* Mavri, J.
- LEONARDI, E., PETRONGOLO, C., KESHARI, V., HIRSCH, G., and BUENKER, R. J.: *Ab initio* study of NO₂. Part IV. Vibrational levels of the ground electronic state of NO₂ in both the diabatic and adiabatic representations of the potential, 553
- LESARRI, A. G., *see* López, J. C.
- LIU, W.-K., *see* Dickinson, A. S.
- LOIDL, A., *see* Böhmer, R.
- LÓPEZ, J. C., LESARRI, A. G., ALONSO, J. L., SPIEHL, R., and GUARNIERI, A.: The millimetre-wave spectrum of trimethylene sulphide. Vibration-rotation coupling between the $\nu = 2$ and $\nu = 3$ ring-puckering excited states, 283
- LOUNILA, J., *see* Vaara, J.
- LUCKHURST, G. R., *see* Emerson, A. P. J.
- LUCKHURST, G. R.: The Marcelja-Luckhurst molecular field theory for uniaxial nematics composed of flexible molecules. A variational derivation, 1063
- LUDWIG, R., and ZEIDLER, M. D.: NMR relaxation in ethanol and propanol and in their binary mixtures with carbon tetrachloride, 313
- LYUBARTSEV, A. P., LAAKSONEN, A., and VORONTOV-VELYAMINOV, P. N.: Free energy calculations for Lennard-Jones systems and water using the expanded ensemble method, A Monte Carlo and molecular dynamics simulation study, 455
- MALAGOLI, M., *see* San-Fabián, J.
- MARINOVA, L. P., RAYCHEV, P. P., and MARUANI, J.: Molecular backbending in AgH and its description in terms of q -algebras, 1115
- MARTIN, J. M. L., SLANINA, Z., FRANÇOIS, J.-P., and GUBELS, R.: The structure, energetics, and harmonic vibrations of B₃N and BN₃, 155
- MARTINEZ, J. L., *see* Criado, A.
- MARUANI, J., *see* Marinova, L. P.
- MARVIN, T. L., *see* Geertsen, J.
- MAVRI, J., LENSINK, M., and BERENDSEN, H. J. C.: Treatment of inelastic collisions of a particle with a quantum harmonic oscillator by density matrix evolution, 1249
- MCLAUCHLAN, K. A., *see* Batchelor, S. N.
- MENZINGER, F., *see* Andreani, C.
- MESTECKIN, M., WHYMAN, G., and KLIMKO, G.: Molecular viewpoint on high-temperature superconductivity. Importance of orbital degeneracy, 1079
- MIKAMI, Y., *see* Ohnami, K.
- MISAWA, M., *see* Miyamoto, Y.
- MIYAMOTO, Y., OKAZAKI, S., ODAWARA, O., OKADA, I., MISAWA, M., and FUKUNAGA, T.: Neutron diffraction study of the Li-Cl distance in molten mixture systems (Li, K)Cl and (Li, Cs)Cl, 887
- MIYAZAKI, K., *see* Ohnami, K.
- MONCRIEFF, D., and WILSON, S.: Distributed basis sets of s-type Gaussian functions in molecular electronic structure calculations, 523
- MORA, F., *see* San-Fabián, J.
- MORALDI, M., *see* Borysow, A.
- MOREL-DESROSIERS, N., *see* Rossy-Delluc, S.
- MUJICA, V., *see* Squitieri, E.
- MÜLLER-PLATHE, F., *see* Scott, W.
- MURPHY, T., *see* Wright, M.
- MÜRTZ, P., RICHTER, S., PFELZER, C., THÜMMEL, H., and URBAN, W.: Faraday LMR spectroscopy of the MgO A¹Π - X¹Σ⁺ (0-2) and a³Π_{0,1} - X¹Σ⁺ (0-1) bands, 989
- NAUTS, A., *see* Chapuisat, X.
- NIKITIN, E. E., and ZARE, R. N.: Correlation diagrams for Hund's coupling cases in diatomic molecules with high rotational angular momentum, 85
- NOID, D. W., *see* Wozny, C. E.
- OCHMANN, P., *see* Breest, A.
- ODAWARA, O., *see* Miyamoto, Y.

- ODDERSHEDE, J., *see* Geertsen, J.
ODELIUS, M., and LAAKSONEN, A.: Molecular dynamics simulations of quadrupolar relaxation of ^{131}Xe in carbon tetrachloride, acetonitrile, and methanol, 487
O'DONOVAN, C., *see* Torrie, B. H.
OHNAMI, K., MIYAZAKI, K., and MIKAMI, Y.: Behaviour of wave packets in the interaction and the Schrödinger pictures for tunnelling through a one-dimensional Gaussian potential barrier, 735
OKADA, I., *see* Miyamoto, Y.
OKAZAKI, S., *see* Miyamoto, Y.

PAJAK, Z., *see* Latanowicz, L.
PALKE, W. E., EMSLEY, J. W., and TILDESLEY, D. J.: Computer simulation of the behaviour of a solute in a model liquid crystalline solvent, 177
PAZ, J. L., *see* Squitieri, E.
PETRONGOLO, C., *see* Leonardi, E.
PETTITT, B. M., *see* Ji, J.
PETTITT, M. B., *see* Weerasinghe, S.
PFELZER, C., *see* Mürtz, P.
POPELIER, P. L. A., and STONE, A. J.: Formulae for the first and second derivatives of anisotropic potentials with respect to geometrical parameters, 411
POWELL, B. M., *see* Torrie, B. H.
PRATT, L. R., *see* Hoffman, G. G.
PRESS, W., *see* Schröder-Heber, A.
PROSMITI, R., FARANTOS, S. C., and TAYLOR, H. S.: A periodic orbit approach to the spectroscopy and dynamics of $\text{SO}_2: \dot{\text{C}}^1\text{B}_2 \rightarrow \dot{\text{X}}^1\text{A}_1$, 1213
PULM, F., *see* Breest, A.

RANTALA, T. T., *see* Vaara, J.
RASAMNY, M., *see* Bent, G. D.
RAYCHEV, P. P., *see* Marinova, L. P.
RAYNES, W. T., *see* Geertsen, J.
RECTOR, D. R., VAN SWOL, F., and HENDERSON, J. R.: Simulation of surfactant solutions. I. Micelle formation in the bulk phase, 1009
RICCI, F. P., *see* Filabozzi, A.
RICHTER, S., *see* Mürtz, P.
ROSINBERG, M.-L., *see* Yethiraj, A.
ROSSY-DELLUC, S., CARTAILLER, T., TIVANT, P., TURQ, P., and MOREL-DESROSIER, N.: Cryptates as model brownions. II. Dynamic light scattering of aqueous cryptate solutions, 701
ROWLEY, R. L., SHUPE, T. D., and SCHUCK, M. W.: A direct method for determination of chemical potential with molecular dynamics simulations. 1. Pure components, 841
ROYEN, P., *see* Launila, O.
RULL, L. F., *see* Vega, L. F.
RUOCCO, G., and SAMPOLI, M.: Computer simulation of polarizable fluids: a consistent and fast way for dealing with polarizability and hyperpolarizability, 875

SABEUR, Z. A., *see* Henderson, J. R.
SAKAGUCHI, Y., *see* Igarashi, M.
SALAM, A., *see* Jenkins, J. K.
SAMPOLI, M., *see* Ruocco, G.
SAN-FABIÁN, J., GUILLEME, J., DÍEZ, E., LAZZERETTI, P., MALAGOLI, M., ZANASI, R., ESTEBAN, A. L., and MORA, F.: Vicinal proton-proton coupling constants. IV. Effect of individual substituents with second row α -atoms, 913
SCHAEFTER III, H. F., *see* Yamaguchi, Y.
SCHIMICZEK, B., GRETH, R., and BODDENBERG, B.: On the magnetic shielding anisotropy at the lithium sites of zeolite $\text{Li}_4\text{Na}_8\text{A}$, 369
SCHRÖDER-HEBER, A., ASMUSSEN, B., PRESS, W., BLANK, H., and GIES, H.: Dynamical behaviour of methane in a clathrasil (dodecasil 3C) studied by quasi-elastic neutron scattering, 857
SCHUCK, M. W., *see* Rowley, R. L.

- SCHUG, J. C., *see* Gregory, V. P.
- SCOTT, W., MÜLLER-PLATHE, F., and VAN GUNSTEREN, W. F.: Molecular dynamics study of the mixing and demixing of a binary Lennard-Jones fluid, 1049
- SEAR, R. P., and JACKSON, G.: Theory for hydrogen-bonding nematic liquid crystals, 473
- SEAR, R. P., and JACKSON, G.: Thermodynamic perturbation theory for association into doubly bonded dimers, 1033
- SEARS, T. J., *see* Wu, M.
- SHING, K. S., *see* Vega, L. F.
- SHPAKOV, V. P., *see* Belosludov, R. V.
- SHUPE, T. D., *see* Rowley, R. L.
- SLANINA, Z., *see* Martin, J. M. L.
- SMITH, P. D., *see* Batchelor, S. N.
- SPACKMAN, M. A., *see* Dougherty, J.
- SPIEHL, R., *see* López, J. C.
- SQUITIERI, E., GARCIA-SUCRE, M., PAZ, J. L., and MUJICA, V.: Refractive index in a dilute solution of molecules with intramolecular coupling up to third order in the external field, 227
- STEINBRENNER, U., BERGNER, A., DOLG, M. and STOLL, H.: On the transferability of energy adjusted pseudopotentials: a calibration study for XH_4 ($X = C, Si, Ge, Sn, Pb$), 3
- STEKOLNIKOV, A. V., *see* Cherepanova, T. A.
- STOLL, H., *see* Steinbrenner, U.
- STONE, A. J., *see* Popelier, P. L. A.
- SU, M.-D.: Relative strengths of axial and equatorial bonds and site preferences for ligand substitution on σ -bonded Y-shaped EL_3 complexes, 567
- SUMPTER, B. G., *see* Wozny, C. E.
- SUTER, U. W., *see* Forrest, B. M.
- SZAMEL, G., *see* Yethiraj, A.
- TAKEZAWA, S.: Localized rotational perturbation between $5\pi D''(v=2)$ and $7\pi(v=1)$ states of H_2 , 351
- TAYLOR, H. S., *see* Prosimiti, R.
- TAYLOR, M. P.: Square-well diatomics. Exact low density results, 1151
- TFIRST, E., *see* Kozmutza, C.
- THIRUNAMACHANDRAN, T., *see* Jenkins, J. K.
- THÜMMEL, H., *see* Mürtz, P.
- TILDESLEY, D. J., *see* Palke, W. E.
- TISSSEN, J. T. W. M., JANSSEN, G. J. M., and VAN DER EERDEN, J. P.: Molecular dynamics simulation of binary mixtures of molten alkali carbonates, 101
- TIVANT, P., *see* Rossy-Delluc, S.
- TORRIE, B. H., O'DONOVAN, C., and POWELL, B. M.: Structure of solid formamide at 7 K, 643
- TURQ, P., *see* Rossy-Delluc, S.
- URBAN, W., *see* Mürtz, P.
- VAARA, J., JOKISAARI, J., RANTALA, T. T., and LOUNILA, J.: Computational and experimental study of NMR relaxation of quadrupolar noble gas nuclei in organic solvents, 13
- VAIDEHI, N., *see* Fowler, P. W.
- VAN DER EERDEN, J. P., *see* Tissen, J. T. W. M.
- VAN GUNSTEREN, W. F., *see* Scott, W.
- VAN LEEUWEN, M. E.: Deviation from corresponding-states behaviour for polar fluids, 383
- VAN SWOL, F., *see* Rector, D. R.
- VEGA, C., LAGO, S., and GARZÓN, B.: Linear hard sphere models. Virial coefficients and equation of state, 1233
- VEGA, L. F., SHING, K. S., and RULL, L. F.: A new algorithm for molecular dynamics simulations in the grand canonical ensemble, 439
- VORONTSOV-VELYAMINOV, P. N., *see* Lyubartsev, A. P.
- WEERASINGHE, S., and PETTITT, M. B.: Ideal chemical potential contribution in molecular dynamics simulations of the grand canonical ensemble, 897

- WELKER, M., *see* Eggenberger, R.
WHYMAN, G., *see* Mestechkin, M.
WILSON, S., *see* Moncrieff, D.
WOZNY, C. E., SUMPTER, B. G., and NOID, D. W.: Dynamical analysis of linear polymers using mode-specific trajectories, 597
WRIGHT, M., MURPHY, T., and BAGLIN, F. G.: Isosteric and isothermal studies of the Raman depolarization ratios in an argon-methane mixture at 298 K and 323 K, 277
WRIGHT, T. G., *see* Lee, E. P. F.
WHATLING, S. G., *see* Emerson, A. P. J.
WU, M., and SEARS, T. J.: Stimulated emission pumping spectroscopy of $^2\Sigma$ and $^2\Pi$ vibronic levels in $\tilde{X}(v_1v_20)$ $^2\Pi$ NCO, 503

XIA, Z. M., *see* Lee, W. Y.

YAMAGUCHI, Y., SCHAEFER III, H. F., and FRENKING, G.: First and second energy derivative analyses for open-shell self-consistent field wavefunctions, 713
YETHIRAJ, A., DICKMAN, R., SZAMEL, G., KIERLIK, E., and ROSINBERG, M.-L.: Local structure and orientational correlations in fluids composed of linear triatomic molecules, 937
YETHIRAJ, A.: Monte Carlo simulation of semiflexible hard triatomic fluids, 957
YEUNG, M. T., *see* Batchelor, S. N.

ZANASI, R., *see* San-Fabian, J.
ZARE, R. N., *see* Nikitin, E. E.
ZEIDLER, M. D., *see* Ludwig, R.